



Nantong Diagnos Biotechnology Co., Ltd.
Address: at High-tech Business Innovation Park of No. 20, Qifeng Road, Rugao Development Zone
Tel.: 0513-85328216
Fax: 0513-85355050

Material Safety Date Sheet

CONTACT:

Nantong Diagnos Biotechnology
Building 1, High and New
Technology Buisness Park 226500
Rugao Jiangsu China
Tel.: 00 86 513-85328280
Fax: 00 86 513 85355050
Attn.: Customer Sales & Support

MANUFACTURED FOR:

Trade Name: Diagnos
Product Name: Vibrio-Cholera test

Name: Not Applicable
Chemical Family: *In-vitro* diagnostic
Formula: Not Applicable
F.W.: Not Applicable
Hazard Classification: See Below
DOT Shipping Name: Not Applicable

Appreance & Odor: Colorless transparent liquid, weak odor

Identification of Explosive Hazards: NOT classified in explosives

Identification of Flammable Hazards: NOT classified in flammable substances

Identification of Oxidative Hazards: : NOT classified in oxidizing or organic substances

Identification of Toxic & Infectious Hazards: NOT classified in toxic and infectious substances

Identification of Corrosive Hazards: NOT classified in corrosives.

Identification of Other Hazards: Presents no other dangerous hazards.

The above information is believed to be correct but does not purport to be all-inclusive and shall only be used as a guide. Instant Technologies shall not be held liable for any damage resulting from handling or from contact with the above product. See invoice or packing slip for additional terms and conditions.

